

*FOR EXCELLENT WORK
ENVIRONMENT*

SMU

Dust Extractor

 HALDRUP USA



FOR AN EXCELLENT WORK ENVIRONMENT

HALDRUP SMU DUST EXTRACTOR

DESIGNED FOR THE LAB AND PRODUCTION FOR PLANT BREEDING AND RESEARCH.

CONNECTION ADAPTER FOR THE EXTRACTION SYSTEM AVAILABLE FOR ALL HALDRUP LABORATORY THRESHERS AND CLEANERS (LT-15, LT-20, LT-21, LT-35, LT-50, DC-20).

THE COMPRESSED AIR CLEANING SYSTEM ENSURES EFFECTIVE AND AT THE SAME TIME GENTLE CLEANING OF THE FILTER ELEMENTS WITH LOW COMPRESSED AIR CONSUMPTION.





MANY OPTIONS
FOR YOU

HALDRUP SMU CONNECTION







QUICK COUPLING

MAIN INPUT WHERE VARIOUS
CONNECTIONS WITH DIFFERENT
MACHINES CAN REACH IN THE
SAME LINE.

ALL CONTROL AT YOUR FINGERTIPS

HALDRUP ELECTRIC PANEL

 ON / OFF GENERAL SWITCH.

 START / STOP SWITCH.

 MOTOR SPEED CONTROL.

 VACUUM REGULATOR.



DUST IN ONE PLACE

HALDRUP DUST CART



ANTI-STATIC.



INTERCHANGEABLE PLASTIC BAG.



LIGHTWEIGHT DESIGN.



EASILY REMOVABLE.





COMPACT & STRONG

4 WHEELS ALLOW TO MOVE THE
EQUIPMENT FROM ONE SIDE TO
ANOTHER EASILY.

DIMENSIONS

HALDRUP SMU

HEIGHT:
75 in. / 190 cm.



WEIGHT:
750 lbs. / 340 Kg.

WIDTH:
29.5 in. / 75 cm.

LENGTH:
51 in. / 130 cm.



HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY
OSSIAN, IN 46777
USA

+1 (844) 694 – 6205

Info.usa@haldrup.net

www.haldrup.net