HIGH PERFORMANCE IN ALL CONDITIONS

Cutting Table

HALDRUP head



■HALDRUP **USA**




INCREDIBLE VERSATILITY

HALDRUP CUTTING TABLE

ONE OF THE MOST IMPORTANT FEATURES IS THE AIR INJECTION SYSTEM ON THE LEFT AND RIGHT SIDE OF THE HEAD, ALONG THE CUTTER BAR AND ALSO AT THE JUNCTION WITH THE FEEDERHOUSE. THIS ALLOWS CONTINUOUSLY CLEAN BETWEEN PLOTS AVOIDING SEED CONTAMINATION.

ON THE OTHER HAND, ITS OPERATION IS CONTROLLED FROM THE CABIN AS WELL AS MOST OF THE SETTINGS.

NUMEROUS OPTIONS ARE AVAILABLE SUCH AS VERTICAL CUTTER KNIVES, CUTTING TABLE EXTENSION, REEL DEPTH ADJUSTMENT, CONVEYOR BELT, FLOATING SYSTEM, BRUSHES, ETC.





CLEAN UP TO THE LAST SEED

HALDRUP INLET AIR

- HIGH PRESSURE AIR BLOWER INPUT.
- 3 SPECIFIC POINTS:
 - ALONG THE CUTTING BAR.
 - LEFT AND RIGHT SIDE OF THE INLET AUGER.
 - CUTTING TABLE-FEEDERHOUSE JUNCTION.
- AIR REGULATOR ON THE LEFT AND RIGHT SIDE OF THE INLET AUGER.
- *CONTROLLED BY HARVEST MANAGER.

■HALDRUP **USA**

- ₩ 5 BARS.
- CONTINUOUS HYDRAULIC CONTROL OF SPEED (0 40 RPM) FROM THE CAB.
- HEIGHT HYDRAULIC CONTROL FROM THE CAB.
- *HYDRAULIC HORIZONTAL ADJUSTMENT FROM THE CAB.
- FINGERS: PLASTIC WHITE.
- *BRUSHES.



AVOIDING CONTAMINATION BETWEEN PLOTS

*HALDRUP CROP DIVIDER

- POWDER-COATED STEEL.
- *LONG OR SHORT VERSION.
- EASILY REMOVABLE.



EVEN IN THE MOST DIFFICULT CONDITIONS

HALDRUP CROP LIFTER

SUITABLE FOR WORK IN DIFFERENT CROPS.

ATTACHED WITHOUT TOOLS.

EXCELLENT GLIDING AND LIFTING QUALITIES REDUCE LOSSES.

HARD WEARING, LOW REPLACEMENT COSTS.





WORK NO MATTER WHAT HAPPENS

HALDRUP SPARE CUTTER KNIFE

- COST FREE.
- INSERTS INTO THE FRAME OF THE CUTTING TABLE.
- PROTECTION COVER.
- EASY TO REPLACE.

A DYNAMIC AND CONSTANT FLOW

HALDRUP INLET AUGER

- RETRACTILE / FIXED FINGERS.
- REVERSE MODE.
- HEIGHT ADJUSTMENT.
- POWDER COATED STEEL.








BECAUSE SOME CROPS NEED IT

HALDRUP CUTTING TABLE EXTENSION



- MAINLY FOR CANOLA.
- EXTENSION LENGTH: 15.7 IN (400 MM).
- STEEL WITH POWDER COATING.
- QUICK ASSEMBLY AND DISASSEMBLY.

AVOIDING CONTAMINATION OF NEIGHBORING PLOTS

HALDRUP CANOLA KNIFE

- * LEFT / RIGHT / LEFT AND RIGHT.
- ELECTRIC DRIVE.
- POWERFUL SPECIAL DOUBLE KNIFE SYSTEM.
- CUTTING HEIGHT: 53.1 IN (135 CM).





HIGH PRECISION IN CUTTING

HALDRUP CUTTER BAR

- HYDRAULIC DRIVEN.
- CUTTING HEIGHT: FROM 1 IN. (25 MM).
- *SPEED ADJUSTMENT.





HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY OSSIAN, IN 46777 USA

+1 (844) 694 - 6205

Info.usa@haldrup.net

www.haldrup.net